

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/718,939	11/21/2003	Patrick Hosein	4740-229 2915	
24112 7590 09/27/2007 COATS & BENNETT, PLLC 1400 Crescent Green, Suite 300			EXAMINER	
			MUI, GARY	
Cary, NC 2751	8		ART UNIT	PAPER NUMBER
			2616	
		•	MAIL DATE	DELIVERY MODE
•			09/27/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	4	
dress		
)) DAYS,		
mmunication.		
•		
merits is		
•		
R 1.121(d). O-152.		
Stage		

	Application No.	Applicant(s)				
Office Actions Commence	10/718,939	HOSEIN ET AL.				
Office Action Summary	Examiner	Art Unit				
	Gary Mui	2616				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR.1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status		·				
1) Responsive to communication(s) filed on 16 Ju	ly 2007.					
•	action is non-final.	,				
·—						
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims						
4) Claim(s) <u>1-44</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdraw	n from consideration					
5) Claim(s) is/are allowed.	m nom consideration.					
6) Claim(s) 1-44 is/are rejected.						
7) Claim(s) is/are objected to.		,				
8) Claim(s) are subject to restriction and/or	election requirement.					
Application Papers						
		*				
9) The specification is objected to by the Examiner						
10) The drawing(s) filed on is/are: a) acce						
Applicant may not request that any objection to the o	•					
Replacement drawing sheet(s) including the correction 11) The oath or declaration is objected to by the Example 11.						
The dath of declaration is objected to by the Ext		7.00011 07 101111 1 70-102.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign	priority under 35 U.S.C. § 119(a)	-(d) or (f).				
a) All b) Some * c) None of:	have been received					
1. Certified copies of the priority documents2. Certified copies of the priority documents	•	on No				
3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of		d.				
dee the attached detailed office detail for a field of the defailed depict for received.						
		•				
Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)						
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) Paper No(s)/Mail Date.						
3) Information Disclosure Statement(s) (PTO/SB/08)	01.100					
Paper No(s)/Mail Date b) Otner:						

Art Unit: 2616

DETAILED ACTION

Response to Amendment

1. Claims 1 - 44 are currently pending.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

- (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 3. Claims 1 7, 12 19, 21 29, 34 41, 43, and 44 are rejected under 35 U.S.C. 102(e) as being anticipated by Cheng et al. (US 6,999,425 B2).

For claim 1, Chang et al. teaches receiving periodic load indication from a base station; calculating a load tracking value based on two or more periodic load indications; determining a rate change probability as a function of the load tracking value; and selectively changing the transmission rate of the mobile station responsive to a current rate control command based on the rate change probability (see column 5 lines 6 - 12, a load value is used to calculate the Rate Limit value in which the mobile station will adjust to).

For claim 23, Change et al. teaches a receiver for receiving periodic load indications from a base station; a transmitter for transmitting signals to the base station at a variable data transmission rate dependent on the load indications a controller to vary the data transmission rate of the mobile station, said controller operative to: calculate a load tracking value based on

Art Unit: 2616

two or more periodic load indications; determine a rate change probability as a function of the load tracking value; and selectively change the data transmission rate of the mobile station responsive to a current rate control command based on the rate change probability (see column 5 lines 6 - 12, a load value is used to calculate the Rate Limit value in which the mobile station will adjust to).

For claims 2 and 24, Chang et al. teaches the mobile station for implementing the method of calculating a load tracking value based on two or more periodic load indication comprises calculating a weighted average of two or more periodic load indications (see column 5 lines 20-49, the algorithm used previous load values).

For claims 3 and 25, Chang et al. teaches the mobile station for implementing the method that the period load indication is received from the base station a predetermined rate control interval, and calculating a weighed average of two or more indication comprised calculating a weighed average of a current periodic load indication for a current rate control interval and at least one pervious periodic load indication for a previous rate control interval (see column 5 lines 9 - 11 and lines 20 - 49, load value is obtain at a certain time frame and the calculation is done in a time window).

For claims 4 and 26, Chang et al. teaches the mobile station for implementing the method of calculating a weighted average of two or more periodic load indications comprises calculating the weighted average with an exponential decay function (see column 5 lines 20 - 37)

For claims 5 and 27, Chang et al. teaches the mobile station for implementing the method of calculating a load tracking value based on two or more periodic load comprises calculating a

running average of two or more periodic load indications over a sliding time window (see column 5 lines 20-49).

For claims 6 and 28, Chang et al. teaches the mobile station for implementing the method that the running average is a weighed average (see column 5 lines 20 - 49).

For claims 7 and 29, Chang et al. teaches the mobile station for implementing the method of calculating a load tracking value based on two or more periodic load indications comprises evaluating a continuous load tracking function that converts discrete periodic load indications from the base station to a continuous load tracking value (see column 5 lines 20 - 49).

For claims 12 and 34, Chang et al. teaches the mobile station for implementing the method of determining a rate change probability as a function of the load tracking value comprises scaling the load tracking value to generate the rate change probability (see column 5 lines 20 -49).

For claims 13 and 35, Chang et al. teaches the mobile station for implementing the method that the rage change probability is a continuous rate change probability (see column 5 lines 20 -49).

For claims 14 and 36, Chang et al. teaches the mobile station for implementing the method of determining a rate change probability as a function of the load tracking value comprises tracking the load tracking value as the rate change probability over at least a defined range of load tracking values (see column 5 lines 20 - 49).

For claims 15 and 37, Chang et al. teaches the mobile station for implementing the method selectively changing the transmission rate of the mobile station responsive to a current rate control command based on the rate change probability comprises comparing the rate change

Art Unit: 2616

probability to a random probability value, and adjusting the data transmission rate of the mobile station based on the outcome of the comparison (see column 6 lines 43 - 45).

For claims 16 and 38, Chang et al. teaches the mobile station for implementing the method of determining a sliding window in the range of possible load tracking values; comparing the load tracking value to the sliding window to obtain a comparison result; and determining the rate change probability based on an outcome of the comparison result (see column 5 lines 50 -63).

For claims 17 and 39, Chang et al. teaches the mobile station for implementing the method of determining the rate change probability based on an outcome of the comparison result comprises setting the rate change probability dependent on whether the load tracking value is within the sliding window (see column 5 lines 50 - 63).

For claims 18 and 40, Chang et al. teaches the mobile station for implementing the method of setting the rate change probability dependent on whether the load tracking value is within the sliding window comprises setting the rate change probability to zero when the load tracking value is within the sliding window (see column 3 lines 16 - 26).

For claims 19 and 41, Chang et al. teaches the mobile station for implementing the method of determining a sliding window in the range of possible load tracking values comprises determining the position of the sliding window in the load tracking range dependent on the current transmission rate of the mobile station (see column 5 lines 50 - 63).

For claims 21 and 43, Chang et al. teaches the mobile station for implementing the method of determining a rate change probability is dependent on a user class associated with a user of the mobile station (see column 2 lines 5 - 14).

Art Unit: 2616

For claims 22 and 44, Chang et al. teaches the mobile station for implementing the method of determining a rate change probability is dependent on a quality of service criteria (see column $\frac{1}{2}$ lines 5-14).

Claim Rejections - 35 USC § 103

- 4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 5. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 6. This application currently names joint inventors. In considering patentability of the claims under 35 U.S.C. 103(a), the examiner presumes that the subject matter of the various claims was commonly owned at the time any inventions covered therein were made absent any evidence to the contrary. Applicant is advised of the obligation under 37 CFR 1.56 to point out the inventor and invention dates of each claim that was not commonly owned at the time a later invention was made in order for the examiner to consider the applicability of 35 U.S.C. 103(c) and potential 35 U.S.C. 102(e), (f) or (g) prior art under 35 U.S.C. 103(a).

Art Unit: 2616

Claims 8 - 11 and 30 -33 are rejected under 35 U.S.C. 103(a) as being unpatentable over 7. Chang et al. in view of Soliman (US 6,490,460 B1).

For claims 8 - 11 and 30 - 33, Chang et al. teaches all of the subject matter of the claimed invention with the exception of determining a rate change probability as a function of the load tracking value comprises calculating the rate change probability based on the distance of the load tracking value from a target load tracking value; the rate change probability increases with distance over at least a defined range of load tracking; the rate change probability varies linearly over the defined range of load tracking; and the defined range is the entire range of possible values of the load tracking function. Soliman from the same field of endeavor teaches the present invention dynamically adjusts the parameters of a power control loop that attempts to maintain the transmit power of a signal sent from a base station to a mobile station above a minimum threshold. In this embodiment, location information that is representative of the distance and the morphology between the mobile station and the base station is determined. The minimum threshold of the power control loop is then adjusted in accordance with the location information such that the minimum threshold varies as the distance and the morphology between the mobile station and the base station change (see column 2 lines 23 – 34). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to adjust the rate as taught by Chang et al. to include the adjustment based on distance as taught by Soliman. The motivation for doing this is improve allow for a better transmission of data.

Art Unit: 2616

Claim Rejections - 35 USC § 103

8. Claims 20 and 42 are rejected under 35 U.S.C. 103(a) as being unpatentable over Chang et al. in view of Black (6,397,070 B1).

For claims 20 and 42, Chang et al. teaches all of the subject matter of the claimed invention with the exception of determining a sliding window in the range of possible load tracking values comprises determining the position of the sliding window in the load tracking range dependent on the current transmission power of the mobile station. Black from the same field of endeavor teaches that a control command to decrease transmission power of forward link signals is sent to forward link transmission subsystem. In response to this signal, the power amplifier in the forward link transmission subsystem reduces the gain of the transmissions. In addition, a corresponding signal to increase a noise floor of the receiver is sent to the receiver. In response to this signal noise is injected into the received reverse link signals (see column 9 lines 23 – 30). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention was made to adjust the rate as taught by Chang et al. to include the current transmission power as taught by Black. The motivation for doing this is to allow for a better calculation of the load value to better transmission system.

Response to Arguments

9. Applicant's arguments filed July 16, 2007 have been fully considered but they are not persuasive.

In regards to the entire contents of the remarks, the applicant argues that the Chang et al. (US 6.999.425 B2; hereinafter "Chang") reference discloses none of the elements of claim 1 and

claims 1 and 23 are rejectable under Cheng.

Art Unit: 2616

does not discloses calculating a load tracking value, determining a rate change probability based on the load tracking value, or selectively changing the data transmission rate as set forth in claim 23. The examiner respectfully disagrees. The Chang reference teaches that the HDR system (base station) obtains the Rate Limit information and then uses this information to make a calculation on the load. Then from the calculation value a new transmission rate is selected from the set of transmission rates for the mobile station and each transmission rate in the set has an equal probability of being chosen (see column 5 lines 5 - 67). Therefore,

Claims 8 - 11 and 30 - 33 are rejectable under Cheng in combination with Soliman as shown above that the Cheng reference teaches the elements of the impendent claim 1 and 23.

Claims 20 and 42 are rejectable under Cheng in combination with Black as shown above that the Cheng reference teaches the elements of the impendent claim 1 and 23.

Conclusion

10. **Examiner's Note**: Examiner has cited particular paragraphs or columns and line numbers in the references applied to the claims above for the convenience of the applicant. Although the specified citations are representative of the teachings of the art and are applied to specific limitations within the individual claim, other passages and figures may apply as well. It is respectfully requested from the applicant in preparing responses, to fully consider the references in entirety as potentially teaching all or part of the claimed invention, as well as the context of the passage as taught by the prior art or disclosed by the Examiner.

Art Unit: 2616

In the case of amending the claimed invention, Applicant is respectfully requested to indicate the portion(s) of the specification which dictate(s) the structure relied on for proper interpretation and also to verify and ascertain the metes and bounds of the claimed invention.

11. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

12. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Gary Mui whose telephone number is (571) 270-1420. The examiner can normally be reached on Mon. - Thurs. 9 - 3 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ricky Ngo can be reached on (571) 272-3139. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 11

Application/Control Number: 10/718,939

Art Unit: 2616

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

GM

V RICKY QYNGO SUPERVISORY PATENT EXAMINER